



## UVC-5

### Light-Curing Conveyor System



- Maintenance-free, Teflon®-coated belt with adjustable belt drive (2-26 m/min range)
- Ideal for curing materials applied to a variety of substrates including glass, metal, plastic, printed circuit boards, and paper
- Controlled and consistent cure times
- Shielded lamp enclosures
- Reliable, heavy-duty conveyor design
- High Power lamp (910 or 800 W)
- Adjustable vertical clearance (15 - 60 mm)
- Compact bench-top design
- 120-mm belt width
- 2 bulb options (Fe or Hg)

The Dymax UVC-5 Conveyor is designed for curing UV/Visible light-curable adhesives, coatings, and inks in a variety of different industries. This system is ideal for curing smaller parts and can cure materials applied to a variety of substrates including paper, plastic, metal, glass, laminated materials, printed circuit boards, and many others.

The UVC-5 Conveyor is equipped with a 120-mm wide Teflon®-coated belt and one UV lamp. The distance between the lamp and the belt can be manually adjusted (between 15-60 mm) as can the belt speed (2-26 m/min). This enables the operator to tailor curing conditions to specific application requirements. The conveyor also features a counter to track hours of operation, an electric control unit located in the transportation device, and an air-cooled casing with an aluminum reflector for the bulb.

Specifications	
<b>Electrical Requirements</b>	230VAC / 50 Hz 5,9 A
<b>Number of Lamps</b>	1
<b>Lamp Power</b>	910 W / Fe (800 W / Hg) Full: 920 W Half: 450W
<b>Intensity (UVA)</b>	400 mW/cm <sup>2</sup> at 60 mm
<b>Vertical Clearance</b>	Adjustable 15-60 mm
<b>Dimensions (W x L x H)</b>	369 mm x 700 mm x 299 mm
<b>Belt Material</b>	Teflon®-coated fiberglass
<b>Belt Width</b>	120 mm
<b>Belt Speed</b>	Adjustable from 2-26 m/min
<b>Vacuum Belt</b>	Yes
<b>Bulb</b>	Metal Halide (Fe) standard or Mercury (Hg) upon request
<b>Net Weight</b>	20 kg

\* Measured with a Dymax ACCU-CAL™ 50 Radiometer (320-395 nm)



[www.dymax.com](http://www.dymax.com)

#### Americas

USA | +1.860.482.1010 | [info@dymax.com](mailto:info@dymax.com)

#### Europe

Germany | +49 611.962.7900 | [info\\_de@dymax.com](mailto:info_de@dymax.com)  
 Ireland | +353 21.237.3016 | [info\\_ie@dymax.com](mailto:info_ie@dymax.com)

#### Asia

Singapore | +65.67522887 | [info\\_ap@dymax.com](mailto:info_ap@dymax.com)  
 Shanghai | +86.21.37285759 | [dymaxasia@dymax.com](mailto:dymaxasia@dymax.com)  
 Shenzhen | +86.755.83485759 | [dymaxasia@dymax.com](mailto:dymaxasia@dymax.com)  
 Hong Kong | +852.2460.7038 | [dymaxasia@dymax.com](mailto:dymaxasia@dymax.com)  
 Korea | +82.31.608.3434 | [info\\_kr@dymax.com](mailto:info_kr@dymax.com)

©2020 Dymax Corporation. All rights reserved. All trademarks in this guide, except where noted, are the property of, or used under license by, Dymax Corporation, U.S.A.

The data contained in this bulletin is of a general nature and is based on laboratory test conditions. Dymax Europe GmbH does not warrant the fitness of the product for the intended application. Any warranty applicable to products, its application and use is strictly limited to that contained in Dymax Europe GmbH's General Terms and Conditions of Sale published on our website. Dymax Europe GmbH does not assume any responsibility for test or performance results obtained by users. It is the user's responsibility to determine the suitability for the product application and purposes and the suitability for use in the user's intended manufacturing apparatus and methods. The user should adopt such precautions and use guidelines as may be reasonably advisable or necessary for the protection of property and persons. Nothing in this bulletin shall act as a representation that the product use or application will not infringe a patent owned by someone other than Dymax Corporation or act as a grant of license under any Dymax Corporation Patent. Dymax Europe GmbH recommends that each user adequately test its proposed use and application of the products before actual repetitive use, using the data contained in this bulletin as a general guide.

PB027EU 7/29/2015