

Using the Dymax Pail-Opening Tool to Remove Adhesive Pail Covers




Figure 1. Pail Components




Figure 2. Pail Tool (T17170)

1. Place the Hook of the Pail Tool (T17170) on the underside of the Cover Skirt and **JUST** to the right of the Ear Block (Figure 3).

Note: It is critical to start close to the Ear Block.

2. Quickly push downward on the Handle of the Pail Tool until a distinct click sound is heard. Relieve the pressure and reposition the tool approximately 2 inches [5 cm] away from the starting position.



Figure 3. Place the Pail Tool Hook under the Cover Skirt and Push Downward on the Pail Tool Handle



Figure 4. Repeat Steps 1 & 2 Around the Entire Circumference of the Pail

3. Repeat Steps 1 and 2 every 2 inches [5 cm] around the entire circumference of the Pail. Skip the positions directly below the Ear Block.
4. Lift the Cover upward to remove. If portions of the Cover are still latched, repeat Steps 1 and 2 until all portions of the Cover are unlatched.



Figure 5. Open Pail



© 2012 Dymax Corporation. All rights reserved. All trademarks in this bulletin, except where noted, are the property of, or used under license by Dymax Corporation, U.S.A.

The data contained in this bulletin is of a general nature and is based on laboratory test conditions. Dymax Europe GmbH does not warrant the data contained in this bulletin. Any warranty applicable to products, its application and use is strictly limited to that contained in Dymax Europe GmbH's General Terms and Conditions of Sale published on our homepage http://www.dymax.com/de/pdf/dymax_europe_general_terms_and_conditions_of_sale.pdf. Dymax Europe GmbH does not assume any responsibility for test or performance results obtained by users. It is the user's responsibility to determine the suitability for the product application and purposes and the suitability for use in the user's intended manufacturing apparatus and methods. The user should adopt such precautions and use guidelines as may be reasonably advisable or necessary for the protection of property and persons. Nothing in this bulletin shall act as a representation that the product use or application will not infringe a patent owned by someone other than Dymax Corporation or act as a grant of license under any Dymax Corporation Patent. Dymax Europe GmbH recommends that each user adequately test its proposed use and application of the products before actual repetitive use, using the data contained in this bulletin as a general guide.

TB081EU 12/18/2012

Dymax Corporation
860.482.1010 | info@dymax.com | www.dymax.com

Dymax Europe GmbH
+49 (0) 611.962.7900 | info_de@dymax.com | www.dymax.de

Dymax Engineering Adhesives Ireland Ltd.
+353.1.231 4696 | info_ie@dymax.com | www.dymax.com

Dymax Oligomers & Coatings
860.626.7006 | info_oc@dymax.com | www.dymax-oc.com

Dymax UV Adhesives & Equipment (Shanghai) Co. Ltd.
+86.21.37285759 | dymaxasia@dymax.com | www.dymax.com.cn

Dymax UV Adhesives & Equipment (Shenzhen) Co. Ltd.
+86.755.83485759 | dymaxasia@dymax.com | www.dymax.com.cn

Dymax Asia (H.K.) Limited
+852.2460.7038 | dymaxasia@dymax.com | www.dymax.com.cn

Dymax Asia Pacific Pte. Ltd.
+65.6752.2887 | info_ap@dymax.com | www.dymax-ap.com

Dymax Korea LLC
+82.2.784.3434 | info_kr@dymax.com | www.dymax.com/kr