




Bulb Maintenance and Troubleshooting

System maintenance is critical to long bulb life. Shown below are some bulb failure modes and their solutions.

<p>Over cooled</p> <p>Cause: Over cooling is generally caused by too much airflow past a bulb, which results in rapid degradation of the bulb, due to deposition of plaque on the quartz.</p> <p>Solution: Order the Dymax Temperature Control Kit.</p>	
<p>Arcing indicated by a gold, brown or black spot on the ceramic ends of the bulb</p> <p>Cause: Improper seating of bulb in a lamp base causes electricity arcs from the lamp base to the bulb through a gap, which results in burning and heat.</p> <p>Solution: Lamp bases must be replaced through repair department. Shake, rattle and roll bulb to ensure proper seating of electrodes of bulb to lamp base for future bulb changes.</p>	
<p>Over heated bulb indicated by swelling of the glass envelope</p> <p>Cause: Lack of air flow or improper closures can peel paint, char the ignitor and lower intensity.</p> <p>Solution: Increase system ventilation, but avoid overcooling.</p>	

© 2003-2010 Dymax Corporation. All rights reserved. All trademarks in this guide, except where noted, are the property of, or used under license by Dymax Corporation, U.S.A.

Please note that most dispensing and curing system applications are unique. Dymax does not warrant the fitness of the product for the intended application. Any warranty applicable to the product, its application and use is strictly limited to that contained in Dymax's standard Conditions of Sale. Dymax recommends that any intended application be evaluated and tested by the user to insure that desired performance criteria are satisfied. Dymax is willing to assist users in their performance testing and evaluation by offering equipment trial rental and leasing programs to assist in such testing and evaluations. Data sheets are available for valve controllers or pressure pots upon request.

Bulb Maintenance & Troubleshooting Web Lit 2007