

FOR IMMEDIATE RELEASE

Contact: Cindy Gallagher  
Sr. Marketing Communications Specialist  
Dymax Corporation  
(860) 626-7623  
cgallagher@dymax.com

## Dymax Introduces BlueWave® AX-550

### All-in-One, High-Intensity LED Flood Curing System

Torrington, Connecticut – August 16, 2019...Dymax is pleased to announce the release of the [BlueWave® AX-550 LED](#) flood curing system, a high-intensity unit used for curing light-curable materials to increase productivity and efficiency. It's designed to be integrated into a larger system, such as an automated manufacturing system, or as a stand-alone bench-top curing station.

The [BlueWave® AX-550](#) combines controller, emitter, and power supply into a compact, all-in-one design. Eliminating the need for a large, traditional-style controller, this system has a greatly reduced footprint and is more easily integrated into Dymax [conveyor systems](#). The system features detachable LED emitters that are field-upgradable by customers, so they can switch to another wavelength or upgrade to a more powerful emitter as improved LED die become available. Emitters are available in 385 nm and 405 nm wavelengths with 365 nm available mid-2019.



Dymax Corporation develops innovative oligomer, adhesive, coating, dispensing, and light-curing systems for applications in a wide range of markets. The company's products are perfectly matched to work seamlessly with each other, providing design engineers with tools to dramatically improve manufacturing efficiency and reduce costs. Major markets include aerospace, appliance, automotive, electronics, industrial, medical device, and metal finishing.

For additional information, visit [dymax.com](http://dymax.com) or contact Dymax Application Engineering at [info@dymax.com](mailto:info@dymax.com) or 860-482-1010.

# # #



© 2019 Dymax Corporation. All rights reserved. All trademarks in this guide, except where noted, are the property of, or used under license by Dymax Corporation, U.S.A.

Technical data provided is of a general nature and is based on laboratory test conditions. Dymax does not warrant the data contained in this bulletin. Any warranty applicable to the product, its application and use is strictly limited to that contained in Dymax standard [Conditions of Sale](#) published on our website. Dymax does not assume responsibility for test or performance results obtained by users. It is the user's responsibility to determine the suitability for the product application and purposes and the suitability for use in the user's intended manufacturing apparatus and methods. The user should adopt such precautions and use guidelines as may be reasonably advisable or necessary for the protection of property and persons. Nothing in this communication shall act as a representation that the product use or application will not infringe on a patent owned by someone other than Dymax or act as a grant of license under any Dymax Corporation Patent. Dymax recommends that each user adequately test its proposed use and application before actual repetitive use, using the data in this communication as a general guideline.

P377

Dymax Corporation  
+1.860.482.1010 | [info@dymax.com](mailto:info@dymax.com) | [www.dymax.com](http://www.dymax.com)

Dymax Europe GmbH  
+49 611.962.7900 | [info\\_de@dymax.com](mailto:info_de@dymax.com) | [www.dymax.de](http://www.dymax.de)

Dymax Engineering Adhesives Ireland Ltd.  
+353 21.237.3016 | [info\\_ie@dymax.com](mailto:info_ie@dymax.com) | [www.dymax.ie](http://www.dymax.ie)

Dymax Oligomers & Coatings  
+1.860.626.7006 | [info\\_oc@dymax.com](mailto:info_oc@dymax.com) | [www.dymax-oc.com](http://www.dymax-oc.com)

Dymax UV Adhesives & Equipment (Shanghai) Co. Ltd.  
+86.21.37285759 | [dymaxasia@dymax.com](mailto:dymaxasia@dymax.com) | [www.dymax.com.cn](http://www.dymax.com.cn)

Dymax UV Adhesives & Equipment (Shenzhen) Co. Ltd.  
+86.755.83485759 | [dymaxasia@dymax.com](mailto:dymaxasia@dymax.com) | [www.dymax.com.cn](http://www.dymax.com.cn)

Dymax Asia (H.K.) Limited  
+852.2460.7038 | [dymaxasia@dymax.com](mailto:dymaxasia@dymax.com) | [www.dymax.com.cn](http://www.dymax.com.cn)

Dymax Asia Pacific Pte. Ltd.  
+65.6752.2887 | [info\\_ap@dymax.com](mailto:info_ap@dymax.com) | [www.dymax.com.cn](http://www.dymax.com.cn)

Dymax Korea LLC  
+82.2.784.3434 | [info\\_kr@dymax.com](mailto:info_kr@dymax.com) | [www.dymax.com/kr](http://www.dymax.com/kr)